

	Hits	Search Text	DBs
1	7	mattsson-ulf.in.	USPAT; US-PGPUB; EPO; DERWENT
2	2	("5446575"   "5542078").PN.	USPAT
3	114	5542078.URPN.	USPAT
4	0	6321201.URPN.	USPAT
5	16	( "5369702"   "5459860"   "5659614"   "5661799"   "5680452"   "5699428"   "5717755"   "5757908"   "5768276"   "5898781"   "5915017"   "5915025"   "5917915"   "5933498"   "5940507"   "6098172") .PN.	USPAT
6	13	( "5274807"   "5276867"   "5278978"   "5339419"   "5402474"   "5416917"   "5519869"   "5701183"   "5706457"   "5875478"   "5937411"   "6009442"   "6088717") .PN.	USPAT
7	33	(( "data type" near3 (preserv\$5 or maintain\$3 or "same")) same (encrypt\$3 or encod\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8	15	4645916.URPN.	USPAT
9	30	( "3624615"   "3653000"   "3727190"   "3753245"   "3778774"   "3790754"   "3829844"   "3831006"   "3839708"   "3848112"   "3869700"   "3918047"   "3970996"   "3996450"   "4013894"   "4055746"   "4085446"   "4108362"   "4130881"   "4164320"   "4177456"   "4181251"   "4219151"   "4242730"   "4268744"   "4304990"   "4340810"   "4357529"   "4358672"   "4359630") .PN.	USPAT
10	5	( "4974191"   "5065429"   "5191611"   "5367573"   "5659614") .PN.	USPAT
11	6	5963642.URPN.	USPAT
12	12	database near5 (cryptograph\$2 or encrypt\$3) same "data type"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
13	3	( "5737419"   "5924094"   "6185685") .PN.	USPAT
14	0	6327595.URPN.	USPAT
15	2	(707/100-104.1.ccls. and ("data type" near3 (preserv\$5 or maintain\$3 or "same")) and (database near5 (cryptograph\$2 or encrypt\$3))	USPAT; US-PGPUB

BEST AVAILABLE COPY

	Hits	Search Text	DBs
16	17	database with (cryptograph\$2 or encrypt\$3) same ("data type" or "character set")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
17	10	database and "data type" same ("basic encoding rules" or ber)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
18	21	707/100-104.1.ccls. and "data type" and (encryptA\$3 or cryptography)	USPAT; US-PGPUB
19	27	713/193.ccls. and database and "data type"	USPAT; US-PGPUB
20	2	("data type" near3 (preserv\$5 or maintain\$3 or "same")) same (database with encrypt\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
21	12	("data type" near3 (preserv\$5 or maintain\$3 or "same")) and (database near5 encrypt\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
22	0	(713/193.ccls. and (database same (encrypt\$3 or cryptograph\$2))) and ("data type" same "character set")	USPAT; US-PGPUB
23	23	(713/193.ccls. and (database same (encrypt\$3 or cryptograph\$2))) and ("data type" or "character set")	USPAT; US-PGPUB
24	2	341/90.ccls. and (database with (encrypt\$3 or encod\$3 or cryptography))	USPAT; US-PGPUB
25	21	713/167.ccls. and (database same (encrypt\$3 or cryptography))	USPAT; US-PGPUB
26	1	("6336121").PN.	USPAT
27	2	707/101,103R,104.1.ccls. and "data type" with "character set"	USPAT; US-PGPUB
28	31	707/101,103R,104.1.ccls. and (database same ("data type" with (allow\$2 or restrict\$3) near "5" "character set"))	USPAT; US-PGPUB
29	1	707/101,103R,104.1.ccls. and (database same ("data type" with ((allow\$2 or restrict\$3) near "5" "character set"))))	USPAT; US-PGPUB
30	5	5835912.URPN.	USPAT
31	7	("4566078"   "5148541"   "5428772"   "5442782"   "5497319"   "5523946"   "5678039").PN.	USPAT
32	79	database and ("data type" same ((restrict\$3 or allow\$3 or \$defined) near3 character))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
33	32	380/267.ccls.	USPAT; US-PGPUB
34	8	5515437.URPN.	USPAT

BEST AVAILABLE COPY

	Hits	Search Text	DBs
35	1	5333197.URPN.	USPAT
36	3	4627074.URPN.	USPAT
37	1	4262359.URPN.	USPAT
38	8	3670104.URPN.	USPAT
39	4	database and (encrypt\$3 same "datatype")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
40	156	encrypt\$3 with "data type"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
41	179	(database and (encrypt\$3 same "data type")) not (encrypt\$3 with "data type")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
42	17	( "4993069"   "5440633"   "5511122"   "5517622"   "5524052"   "5577209"   "5640456"   "5673322"   "5689565"   "5699513"   "5845281"   "5892899"   "6044468"   "6173404"   "6175925"   "6178509"   "6205550") .PN.	USPAT
43	0	6324646.URPN.	USPAT
44	17	( "4993069"   "5440633"   "5511122"   "5517622"   "5524052"   "5577209"   "5640456"   "5673322"   "5689565"   "5699513"   "5845281"   "5892899"   "6044468"   "6173404"   "6175925"   "6178509"   "6205550") .PN.	USPAT
45	7	database same ((pre\$1defined or restrict\$3 or allow\$3) near3 "character set")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
46	134	(key near5 (initial\$7 adj (vector or value))) same encrypt\$3	USPAT

BEST AVAILABLE COPY